Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31890	(add\$3 includ\$3) with (bill\$ charg\$) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:04
L2	47	(add\$3 includ\$3) with (bill\$ charg\$) with (data information) with content with print\$3	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:29
L7	12048	(print\$3) with (bill\$ charg\$ fee\$1) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:30
L8	1098	(send\$3 transmit\$3 communicat\$3) with printer with (content data information document) same (print\$3) with (bill\$ charg\$ fee\$1) with (data information)	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:33
L9	166	(send\$3 transmit\$3 communicat\$3) with printer with (content data information document) same (print\$3) with (bill\$ charg\$ fee\$1) with (data information) and "705"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:36
L10	363	(send\$3 transmit\$3 communicat\$3) with printer with (content data information document) same (print\$3) with (bill\$ charg\$ fee\$1) with (data information) and print\$.ti.	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:40
L11	104	I10 not feed	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:44
L12	666	(charge billing) adj (data information) with print\$	US-PGPUB; USPAT	OR .	OFF	2007/01/11 16:45
L13	21	(charge billing) adj (data information) with print adj job	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:45
S1 .	1	"20030005330" and print adj service	US-PGPUB; USPAT	OR	OFF	2007/01/09 20:20
S2	2	("20020174364" "20020114004").pn.	US-PGPUB; USPAT	OR	OFF	2007/01/09 20:32
S3	126	discovery adj signal	US-PGPUB; USPAT	OR	OFF	2007/01/09 20:36
S5	68	discovery adj signal and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/10 10:00
S6	7	address same discovery adj signal and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/09 20:38
S7	1	"20020174364"	US-PGPUB; USPAT	OR	OFF	2007/01/09 21:00

S9	0	(method with sytem with presenting adj information).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/09 21:01
S10	0	(method with sytem with presenting with information).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/09 21:01
S11	1562	larsson.in.	US-PGPUB; USPAT	OR	OFF	2007/01/10 10:06
S13	1	larsson.in. and bluetooth and print	US-PGPUB; USPAT	OR	OFF	2007/01/09 21:01
S17	21	bluetooth same address same discovery adj protocol same sdp	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:38
S18	292	bluetooth same sdp	US-PGPUB; USPAT	OR	OFF	2007/01/10 09:59
S19	271	bluetooth same sdp not S17	US-PGPUB; USPAT	OR	OFF	2007/01/10 09:59
S20	58	S19 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/10 16:20
S21	. 19	larsson.in. and bluetooth	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:39
S22	1	"20030005330" and print adj service	US-PGPUB; USPAT	OR	OFF	2007/01/10 13:01
S23	0	print adj by adj reference	US-PGPUB; USPAT	OR	OFF	2007/01/10 10:46
S25	3931	internet with printing	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:17
S26	1648	internet near4 printing	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:17
S27	55	(web internet) near4 printing with distributed	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:17
S28	36	S27 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:21
S29	458	(Transmit\$3 transmission communicat\$3 send\$3 forward\$) with (address url reference uri location) with (content document site) with (printer print\$3 near4 device)	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:22
S30	37	(Transmit\$3 transmission communicat\$3 send\$3 forward\$) with (address url reference uri location) with (content document site) with (printer print\$3 near4 device) with (print\$3 adj (server service spooler)) with (content document site) with (printer print\$3 near4 device)	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:23

S31	379	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site)	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:37
S32	16	S30 same S31	US-PGPUB; USPAT	OR	OFF	2007/01/10 11:23
S33	30	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site) with (URL URI address reference)	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:41
S34	1	"20020113989"	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:16
S35	1	"20030005330"	US-PGPUB; USPAT	OR	OFF	2007/01/10 15:41
S36	132	(printer print\$3 adj device) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site) near3 (address reference URL URI link universal adj naming adj convention UNC)	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:41
S37	57	S36 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28)	US-PGPUB; USPAT	OR .	OFF	2007/01/10 12:42
S38	65	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 send\$3 transmit\$3 communicat\$3 receiv\$3) with (content document site) with (URL URI address reference)	US-PGPUB; USPAT	OR	OFF	2007/01/10 13:28
S39	373	(printer print\$3 adj device) with (retriev\$3 obtain\$3 get\$3 send\$3 transmit\$3 communicat\$3 receiv\$3)with (document file content job) near3 (address reference URL URI link universal adj naming adj convention UNC)	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:42
S40	162	S39 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28)	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S41	162	S39 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28 (HP.as. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")))	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:44
S42	156	S39 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28 ((Hewlett).as. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")))	US-PGPUB; USPAT	OR	OFF	2007/01/10 12:58

S43	64	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site file html page) with (URL URI address reference UNC universal adj naming adj convention)	US-PGPUB; USPAT	OR	OFF	2007/01/10 13:28
S45	23	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site file html page) with (URL URI address reference UNC universal adj naming adj convention)	FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 13:28
S46	451	(print\$3 adj device printer) with (retriev\$3 obtain\$3 get\$3 send\$3 transmit\$3 communicat\$3 receiv\$3) with (content document site) with (URL URI address reference)	US-PGPUB; USPAT	OR	OFF	2007/01/10 13:57
S47	213	S46 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28 ((Hewlett).as. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")))	US-PGPUB; USPAT	OR	OFF	2007/01/10 15:46
S48	6	("6091518" "6233684" "6351317" "6515765" "6567180" "20010012119").pn.	US-PGPUB; USPAT	OR	OFF	2007/01/10 13:54
S50	133	(print\$3 adj device printer) with (retriev\$3 obtain\$3 get\$3 send\$3 transmit\$3 communicat\$3 receiv\$3) with (content document site) with (URL URI address reference)	FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 14:06
S53	801	(print\$3 and wireless).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 14:07
S54	801	(print\$3 with wireless).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 14:07
S55	205	(printing with wireless).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 14:07

			.			
S56	64	(printing with wireless).ti. and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S32 S28 (HP.as. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR .	OFF	2007/01/10 14:08
S58	. 47	(printing with wireless).ti. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/01/10 14:12
S59	10	(printing with wireless).ti. and (@ad<"20000501" or @rlad<"20000501" or @prad<"20000501")	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:12
S60	3	(printing with wireless).ti. and (@ad<"20010501" or @rlad<"20010501" or @prad<"20010501") not S58	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:13
S61	34	(printing with wireless).ti.	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:13
S62	0	(printing with wireless).ti. not (S61 S59)	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:14
S63	66	(print\$ with wireless).ti. not (S61 S59)	US-PGPUB; USPAT	OR	OFF	2007/01/10 14:14
S70	8788	print\$ and "455"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/10 16:19
S71	672	(print\$).ab. and "455"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/01/10 16:20
S72	432	S71 and (@ad<"20010515" or @rlad<"20010515" or @prad<"20010515")	US-PGPUB; USPAT	OR	OFF	2007/01/10 16:46
S75	1	"20020114004"	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:40
S76	1	status with retrieval with print with content	US-PGPUB; USPAT	OR	OFF.	2007/01/10 18:41
S77	2	notif\$4 with retriev\$3 with print with content	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:42
S78	753	notif\$4 with print\$3 with complet\$	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:42
S79	22	notif\$4 with print\$3 with complet\$ same (request\$ with status)	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:42
S80	20	notif\$4 with print\$3 with complet\$ same (request\$ with status with print\$)	US-PGPUB; USPAT	OR	OFF	2007/01/10 18:44

S81	4	notif\$4 with print\$3 with complet\$ same (send\$3 with request\$ with status with print\$)	US-PGPUB; USPAT	OR	OFF	2007/01/10 20:06
S86	127	(status with request\$3 with print\$3) same (printing with (complet\$2 end\$3 finish\$2))	US-PGPUB; USPAT	OR	OFF	2007/01/10 20:41
S87	. 1	"6219151".pn. and (status request\$3 complet\$2)	US-PGPUB; USPAT	OR	OFF	2007/01/10 20:41
S88	55	(web internet) near4 printing with distributed	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S89	36	S88 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101")	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S90	37	(Transmit\$3 transmission communicat\$3 send\$3 forward\$) with (address url reference uri location) with (content document site) with (printer print\$3 near4 device) with (print\$3 adj (server service spooler)) with (content document site) with (printer print\$3 near4 device)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:57
S91	380	(print\$3 adj (server service spooler)) with (retriev\$3 obtain\$3 get\$3 receiv\$3) with (content document site)	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S92	16	S90 same S91	US-PGPUB; USPAT	ÖR	OFF	2007/01/11 13:18
S93	374	(printer print\$3 adj device) with (retriev\$3 obtain\$3 get\$3 send\$3 transmit\$3 communicat\$3 receiv\$3)with (document file content job) near3 (address reference URL URI link universal adj naming adj convention UNC)	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S94	162	S93 and (@ad<"20010101" or @rlad<"20010101" or @prad<"20010101") not (S92 S89)	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18
S95	0	S93 and (@ad<"2001025" or @rlad<"2001025" or @prad<"2001025") not (S92 S89 S94)	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:18